



# EV Charge

DATA IMAGE Corporation

2024/10/17




Singel 3 | B-2550 Kontich | Belgium | Tel. +32 (0)3 458 30 33 | info@alcom.be | www.alcom.be  
Rivium 1e straat 52 | 2909 LE Capelle aan den IJssel | The Netherlands | Tel. +31 (0)10 288 25 00 | info@alcom.nl | www.alcom.nl



CREATIVE | INTEGRATED | INNOVATIVE

# Outdoor Industrial Display



High Brightness

> 1000 nits

Sunglass Readable

> 30cm readable

IK-8 (touchscreen)

> IK08  
(3mm glass)

IP 66 waterproof

> Front cover

Operating range

> -35 °C to 85°C

Humidity

> 20-95 % Rh  
non-condensing

High Brightness/Sunglass readable/Wide Temp./Waterproof/Anti-shattering

## EV-Charging, Payment Terminal

LEVEL 3/100KW/DC Charging/Terminal suite



15.6" / 27 FHD  
12.1"/10.1"  
WXGA  
8"/9" 15" HD

### Touch Screen

### Digital Signage

Size	7"	8.4"	10.4"	12.1"	13.3"	15"	15.6"	24"	27"	32"
Resolution	1024x600	1024x768	1024x768	1024x768	1920x1080	1024x768	1920x1080	1920x1200	1920x1080	1920x1080
Interface	LVDS	LVDS	LVDS	LVDS	LVDS	LVDS	LVDS	LVDS	LVDS	LVDS
Operating Temp.	-30~85°C	-30~85°C	-30~85°C	-30~85°C	-30~85°C	-30~85°C	-30~85°C	-20~60°C	-30~85°C	-20~70°C
Brightness	1200	1000	1300	1000	1500	1000	1000	1500	1500	1500