TD-1070 Lite

Space Management & Digital Signage Panel

Unlock the potential of your workspace with the TD-1070 Lite. Equipped with essential space management capabilities, this powerful device empowers your team to effortlessly coordinate meetings, focusing their energy on what matters most – driving productivity and success.

Android 12

**10.1"
1920 x 1200**

**Dynamic
Status LEDs**

**RFID (NFC) &
Apple Wallet**

POE+

**WiFi 5 &
802.1X**

**AI Accelerator
Embedded**

**Independent
Watchdog**

Discover Unrivaled Clarity

Experience a new level of visual clarity with the 10.1" 1920 x 1200 (FHD) direct bonded display.

Say goodbye to the air gap between the LCD and cover glass, and hello to stunningly clear images and sharp, easy-to-read text. Now with anti-fingerprint coating for a smudge-free view.


NFC/RFID + Apple Wallet Support

The TD-1070 Lite's NFC/RFID integration, now compatible with Apple Wallet, allows for quick and secure user authentication with a simple tap of your device.

Radiant Alerts, Stunning Visuals

Set your meeting rooms ablaze with the radiant LED lights that serve as dynamic alert notifications ensuring important alerts never go unnoticed.

Connect, Power, Simplify with PoE+

Experience the convenience and versatility of the TD-1070 Lite's PoE+ support. This game-changing feature allows for easy, single-cable installation, providing both power and data connectivity.

Unleash Wireless Freedom

Unlock a new level of wireless performance with Wi-Fi 5 (802.11ac) dual-band support, delivering lightning-fast speeds, improved range, and enhanced reliability, ensuring your meeting room stays connected like never before.

Android 12 Unleashed

Safeguard your meeting room system with the TD-1070 Lite's Android 12 operating system, designed to keep your data and privacy protected in an ever-evolving digital world.

- Enhanced Safety and Security Features

- Latest OS in Commercial-Grade PC

- Penetration Test Compliance

- Regular Security Patch & OS Update

**TD-1070 Lite Accessories**

AC-112
Adjustable Panel PC Stand

AC-121
 Recess Wall Mount

AC-170
One-Gang Installation Kit

MS-1070
Table Top Panel PC Stand

X-Bracket
Panel PC Bracket

MS-2000
Mullion Mount

	Specifications
Features	
OS	Android 12
Touch	Yes, Multi touch AF Direct-Bonding, Hardness: 7H
NFC/RFID(Optional)	Option 1: Std. Version (13.56MHz)
	Option 2: H Version, (Embedded Human-Interface-Device)(13.56M&125KHz)
	Option 3: O Version, Apple wallet compatible (13.56M&125KHz)
Memory	2GB LPDDR4
Storage	32GB eMMC
Video decoder	H264 / H265, VC-1, MPEG-4, VP9/VP8
Image codecs	JPEG/BMP/GIF/PNG
Audio codecs	MPEG/OGG/AAC
CPU	ARM Quad-core Cortex-A55 up to 2.0GHz (64 bit)
PoE	PoE+ (25W)
Beacon (BLE)	Yes
WatchDog	Yes, Independent watchdog
LED indicator	2 side-bar
Display	
Size	10.1" (85/85/85/85)
Resolution	1920 x 1200(FHD)
Contrast	1000:01:00
Brightness	430 nits
I/O Interface	
Ethernet	1 x RJ45 (10M/100M/1000M)(PoE+)
WLAN	802.11 a/b/g/n/ac, WiFi 5 (Option)
USB	2 x USB2.0 type A/ 1 x USB3.0 type C (w/ ADB)
Analog Stereo out	1 x 3.5mm stereo (MIC-in & Audio-out)
Expansion storage	1 x Micro SDHC/SDXC slot
Speaker	2W x 2
Mechanical & Environment	
Dimensions (WxDxH)(Without stand)	242.9 x 173.9 x 21.15 mm
Mounting	Glass / Surface / Recessed
Housing	PC+ABS

Environment	Operating Temp. 0~50°C
Certification	
Certification	CE/UKCA/FCC/IC/CB