

Normal TFT

MP

DEV~21Q1

PLAN~21Q2

0.96"

3.14"

1.52"128*128 TN,6H
AA:27.264*27.264
MCU,150NIT,OT:-20-70

0.96"80*160 IPS
AA:10.8*21.7
MCU,400NIT,OT:-20-70

0.96"128*96 TN,6H
AA:20.35*15.26
MCU,360NIT,OT:-20-70

1.77"128*160 TN,6H
AA:28.032*35.04
MCU,150NIT,OT:-20-70

1.54"240*240 IPS
AA:27.264*27.264
MCU,150NIT,OT:-20-70

1.54"320*320 IPS
AA:27.264*27.264
MCU,150NIT,OT:-20-70

2.0"320*240 IPS
AA:40.8*30.6
Transflective
MCU,TBD,OT:-20-70

2.0"240*320 IPS
AA:30.6*40.8
MCU,5 30NIT,OT:-20-70

2.0"176*220 TN,6H
AA:31.68*39.6
MCU,170NIT,OT:-20-70

2.2"240*320 VA
AA:33.84*45.12
Blandview
MCU,300NIT,OT:-20-70

2.4"240*320 TN,6H
AA:36.72*48.96
MCU,260NIT,OT:-20-70

2.2"176*220 TN,6H
AA:34.848*43.56
MCU,220NIT,OT:-20-70

2.86"376*960, IPS
AA:26.508*67.68
SPI/RGB,280NIT,
OT:-20-70

2.95"480*800, IPS
AA:36.72*65.28
TBD,500NIT,OT:-20-70

2.4"320*240 TN,6H
AA:48.48*36.36
MCU,200NIT,OT:-20-70

2.4"240*320 IPS
AA:36.72*48.96
MCU,350NIT,OT:-20-70

2.8"240*320 TN,6H
AA:43.2*57.6
MCU,320NIT,OT:-20-70

2.8"240*320, IPS
AA:43.2*57.6
MCU,210NIT,OT:-20-70

MP DEV PLAN


NEW New Product Longevity C:CTP ,R:RTP Wide Temperature High Brightness

Normal TFT

MP


DEV~21Q1


PLAN~21Q2


3.2" 320*480 VA 
AA:44.64*66.96
MCU,400NIT,OT:-20-70

3.5" 320*240 IPS 
AA:70.08*52.56
RGB,400NIT,OT:-20-70

3.5" 640*480 IPS
AA:70.08*52.56
RGB,TBD NIT,OT:-20-70

3.2" 3.5" 320*240 TN,12H 
AA:70.08*52.56
MCU,300NIT,OT:-20-70

3.5" 320*480 TN,6H 
AA:48.96*73.44
MCU,250NIT,OT:-20-70


3.5" 480*640 IPS 
AA:51.84*86.4 Transflecti
MCU/RGB,300NIT
OT:-20-70

3.5" 320*480 IPS 
AA:48.96*73.44
MCU,250NIT,OT:-20-70


3.97" 480*800 IPS 
AA:51.84*86.4
RGB,300NIT,OT:-20-70


3.5" 480*800 IPS
AA:45.36*75.6
MCU interface/SPI+RGB
220NIT,OT:-20-70


5.0" 4.3" 480*272 VA 
AA:95.04*53.86
RGB,400NIT,OT:-30-85 


4.3" 480*272 TN,12H 
AA:95.04*53.86
RGB,500NIT,OT:-20-70

4.0" 480*480 IPS
AA:71.856*70.176
SPI/RGB,200NIT
OT:-20-70

4.3" 430*800 VA 
AA:55.8*93.00
RGB/MIPI,400NIT
OT:-20-70

4.3" 480*272 IPS 
AA:95.04*53.86
RGB,450NIT,OT:-20-70

4.98" 540*960 IPS 
AA:61.97*110.16
MIPI,350NIT,OT:-20-70

4.3" 800*480 IPS 
AA:95.04*53.856
RGB,500nit,OT:-20-70


MP

DEV

PLAN



New Product

 Longevity



C:CTP ,R:RTP



Wide Temperature



High Brightness

Normal TFT

MP

DEV~21Q1

PLAN~21Q2

5.0"800*480 TN,12H
AA:108.0*64.8
RGB,300NIT,OT:-20-70

5.0"720*1280 IPS
AA:62.1*110.4
MIPI,350NIT,OT:-20-70

5.5"720*1280 IPS
AA:68.04*120.96
MIPI,300NIT,OT:-20-70

5.0"800*480 IPS
AA:108*64.8
RGB,500NIT,OT:-30-85

5.7"320*240 TN,12H
AA:115.2*86.4
RGB,300NIT,OT:-20-70

5.0"800*480 IPS
AA:108*64.8
RGB,900NIT,OT:-30-85

7.0"800*480 TN,12H
AA:154.08*85.92
RGB,1000NIT,
OT:-30-85

5.7"640*480 TN,12H
AA:115.2*86.4
RGB,450NIT,OT:-20-70

7.0"1024*600 TN,12H
AA:153.6*90
LVDS,250NIT,OT:-20-60

7.0"800*480 IPS
AA:152.4*91.44
RGB/LVDS,900NIT,
OT:-30-85

7.0"800*1280 IPS
AA:149.76*93.6
LVDS,400NIT,OT:-20-60

7.0"800*1280 IPS
AA:94.2*150.72
MIPI,300NIT,OT:-10-50

7.0"1024*600 IPS
AA:154.2144*85.92
LVDS,800NIT,OT:-20-60

7.0"1200*1920 IPS
AA:94.5*151.2
MIPI,450NIT,OT:-20-60

MP

DEV

PLAN



New Product



Longevity



C:CTP ,R:RTP



Wide Temperature



High Brightness

Normal TFT

MP

DEV~21Q1

PLAN~21Q2

8.0"800*600 TN,12H
AA:162*121.5
RGB,1000NIT,OT:-20-70

8.0"1024*768 IPS
AA:162.048*121.536
LVDS,300NIT,OT:-10-50

8"1200*1920 IPS
AA:107.64*172.224
MIPI, OT:-20-60

8.0"800*1280 IPS
AA:107.64*172.224
MIPI,280NIT,OT:-10-50

9.7"1024*768 IPS
AA:196.61*147.46
LVDS,350NIT,OT:0-50

10.1"1280*800 IPS
AA:216.96*135.6
LVDS,1000NIT,OT:-20-60

10.1"1200*1920 IPS
AA:135.36*216.576
LVDS,350NIT,OT:-20-60

10.1"1024*600TN,12H
AA:222.72*125.28
RGB,400NIT,OT:-20-70

10.1"1024*600 IPS
AA:222.72*125.28
RGB,400NIT,OT:-20-70

12.1"1024*768 TN,12H
AA:245.76*184.32
LVDS,500NIT,OT:-30-70

12.1"1280*800 IPS
AA:261.12*163.2
LVDS,400NIT,OT:-10-70

10.1"1280*800 IPS
AA:216.96*135.6
LVDS,280NIT,OT:-20-70

10.1"1280*800 IPS
AA:216.96*135.6
LVDS,1000NIT,
OT:-20-60 2021EOL

15.0"1024*768 TN,12H
AA:304.128*228.096
LVDS,420NIT,OT:-20-70

15.6"1920*1080 IPS
AA:344.16*193.59
LVDS,450NIT,OT:-30-85

8.0"

15.6"

MP

DEV

PLAN



New Product



Longevity



C:CTP ,R:RTP



Wide Temperature



High Brightness

Round TFT

MP

DEV~21Q1

PLAN~21Q2

1.3"
5.0"
2.1"320*320 IPS
AA:53.38*53.38
SPI/MIPI,300NIT
OT:-20-70

1.3"320*320 IPS
AA:33.12*33.12
MIPI,300NIT,OT:-20-70

1.8"400*400 IPS
AA:45.24*45.24
MIPI,TBD NIT,OT:-30-70

2.47"480*480 IPS
AA:62.64*62.64
MIPI,350NIT,OT:-20-70

3.4"800*800 IPS
AA:87.6*87.6
MIPI,300NIT,OT:-20-70

5.0"1080*1080 IPS
AA:127.008*127.008
MIPI,350NIT,OT:-20-60

MP

DEV

PLAN



New Product



Longevity



C:CTP ,R:RTP



Wide Temperature



High Brightness