






































DC/DC Encapsulated: Regulated 3-8W by Pairui

Represented by  Alcom
electronics

Pictures	Series Name	Package	Power (w)	Isolation (Vdc)	Input Range (Vdc)	Output Voltage (Vdc)	Size mm[inch]	DATASHEET
	DAV-3	SIP8	3	1.5K	5, 12, 24, 48 (2:1)	5, 9, 12, 15, 24, ±5, ±9, ±12, ±15, ±24	22.0 x 9.5 x 12.0 [0.87 x 0.37 x 0.47]	
	DAV-3W	SIP8	3W	1.5K	24, 48 (4:1)	5, 9, 12, 15, 24, ±5, ±9, ±12, ±15, ±24	22.0 x 9.5 x 12.0 [0.87 x 0.37 x 0.47]	
	DAV-3F	SIP8	3	3K	5, 12, 24, 48 (2:1)	5, 9, 12, 15, 24, ±5, ±9, ±12, ±15, ±24	22.0 x 9.5 x 12.0 [0.87 x 0.37 x 0.47]	
	DNV-3	DIP24	3	1.5K	12, 24, 48 (2:1)	5, 12, 15, 24, ±5, ±12, ±15, ±24	31.8 x 20.3 x 10.0 [1.25 x 0.80 x 0.40]	

	DNV-3F	DIP24	3	3K	5, 12, 24, 48 (2:1)	5, 12, 15, 24, ±5, ±12, ±15, ±24	31.8 x 20.3 x 10.0 [1.25 x 0.80 x 0.40]	
	DNV-3W	DIP24	3	1.5K	18, 36 (4:1)	5, 12, 24, ±5, ±12, ±15, ±24	31.8 x 20.3 x 10.0 [1.25 x 0.80 x 0.40]	
	DMV-3	DIP1"x1"	3	1.5K	5, 12, 24, 48, 110 (2:1)	3.3, 5, 9, 12, 15, 24, ±3.3, ±5, ±9, ±12, ±15, ±24	25.4 x 25.4 x 10.16 [1.00 x 1.00 x 0.40]	
	DMV-3W	DIP1"x1"	3	1.5K	18, 36 (4:1)	3.3, 5, 9, 12, 15, 24, ±3.3, ±5, ±9, ±12, ±15, ±24	25.4 x 25.4 x 10.16 [1.00 x 1.00 x 0.40]	
	DNV-5	DIP24	5	1.5K	5, 12, 24, 48 (2:1)	5, 12, 15, 24, ±5, ±12, ±15, ±24	31.8 x 20.3 x 10.0 [1.25 x 0.80 x 0.40]	
	DNV-5W	DIP24	5	1.5K	18, 36 (4:1)	5, 12, 15, 24, ±5, ±12, ±15, ±24	31.8 x 20.3 x 10.0 [1.25 x 0.80 x 0.40]	

	DMV-5	DIP1"x1"	5	1.5K	5, 12, 24, 48, 110 (2:1)	3.3, 5, 9, 12, 15, 24, ±3.3, ±5, ±9, ±12, ±15, ±24	25.4 x 25.4 x 10.16 [1.00 x 1.00 x 0.40]	
	DMV-5W	DIP1"x1"	5	1.5K	18, 36 (4:1)	3.3, 5, 9, 12, 15, 24, ±3.3, ±5, ±9, ±12, ±15, ±24	25.4 x 25.4 x 10.16 [1.00 x 1.00 x 0.40]	
	DNV-6	DIP24	6	1.5K	12, 24, 48 (2:1)	5, 12, 15, 24, ±5, ±12, ±15, ±24	31.8 x 20.3 x 10.0 [1.25 x 0.80 x 0.40]	
	DNV-6F	DIP24	6	3KV	5, 12, 24, 48 (2:1)	5, 12, 15, 24, ±5, ±12, ±15, ±24	31.8 x 20.3 x 10.0 [1.25 x 0.80 x 0.40]	
	DNV-6W	DIP24	6	1.5K	18, 36 (4:1)	5, 12, 15, 24, ±5, ±12, ±15, ±24	31.8 x 20.3 x 10.0 [1.25 x 0.80 x 0.40]	
	DMV-6	DIP1"x1"	6	1.5K	12, 24, 48 (2:1)	3.3, 5, 12, 15, 24, ±5, ±12, ±15	25.4 x 25.4 x 10.16 [1.00 x 1.00 x 0.40]	

	DMV-6W	DIP1"x1"	6	1.5K	18, 36 (4:1)	3.3, 5, 12, 15, 24, ± 5 , ± 12 , ± 15	25.4 x 25.4 x 10.16 [1.00 x 1.00 x 0.40]	
	DNV-8	DIP24	8	1.5K	12, 24, 48 (2:1)	5, 9, 12, 15, 24, ± 5 , ± 9 , ± 12 , ± 15 , ± 24	31.8 x 20.3 x 10.0 [1.25 x 0.80 x 0.40]	
	DNV-8W	DIP24	8	1.5K	24, 48 (4:1)	5, 9, 12, 15, 24, ± 5 , ± 9 , ± 12 , ± 15 , ± 24	31.8 x 20.3 x 10.0 [1.25 x 0.80 x 0.40]	